

I hereby certify that this correspondence is being transmitted electronically to the Commissioner for Patents via EFS-web, on the date indicated below.

| | |
|--|--------------------|
| Richard D. Getz | |
| Typed or Printed Name of Person Sending Paper or Fee | |
| <u>Richard D. Getz</u> | <u>FEB 5, 2010</u> |
| Signature | Date |

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | |
|---------------------------|---|--------------------------|
| In the Application of: | : | Docket No. 7564-0007WOUS |
| Stephen C. Wardlaw | : | Date: February 5, 2010 |
| Serial No.: 10/599,695 | : | Art Unit: 4172 |
| Filed on: October 5, 2006 | : | Examiner: C. Hammond |

TITLE: DISPOSABLE CHAMBER FOR ANALYZING BIOLOGIC FLUIDS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE

Dear Sir:

This document is filed in response to the non-final office action mailed October 5, 2009, having a period of response that expired on January 5, 2010, to which a one month extension of time is respectfully requested.

Amendments to the Specification begin on page 2.

Amendments to the Claims begin on page 3.

Remarks begin on page 6 of this paper.